

INDEX[®]
A PERFECT FIXING



FIXINGS FOR DRYWALL

2021

A
PERFECT
FIXING

FIXINGS
FOR DRYWALL
2021



Placo

PLACO

Lithium-ion
14.4V











PL-F

3,5 x 35

3.000 pcs

INDEX



























SCREWS & RIVETS

PL	6	
PL-EP	6	
PL-RA	7	
PL-TR	7	
PL-CA	7	
DIN-7504-N HP Z	8	
RS	9	
TAEZ	9	
RE-NO	10	
RE-CA	11	
RE-FL	11	

ACCESSORIES FOR DRYWALL







CP-PA	12	
CP-GV	12	
CP-AC	12	
CP-MV	12	
OME	13	
NEW MAB	13	
HO-CU	13	
HO-CR	13	
EMP	13	
CAB	14	
ADU	14	
SUS	14	
TR-BL	15	
TR-I3	15	
TR-I5	15	

FIXINGS

TC-CA	16	
TC-CA EP	16	
TC-CC	17	
TC-SP	17	
NEW TC-SP EP	17	
TN4S	18	
TN4S EP	18	
MEDU	18	
CH-TO	19	
HE-HO	20	
HE-A4	20	
HE-CL	20	
NEW HE-HC	21	
HE-NO	21	
NEW HE-NS	21	
EXP	21	
HC	22	
AN-CU	22	
TWA	22	
TALA	23	
TA-ME	23	
AIS	23	
AIS-C	23	
BA-ES	24	
BA-GA	24	
CA-BA	24	
PA-ES	25	
















	PA-GA	25	
	CA-PA	25	
NEW	MS-PR	26	
NEW	MS-TR	27	
NEW	MS-SF	27	
NEW	SI-PR	28	
NEW	SI-PRS	29	
NEW	SI-UNI	30	
NEW	SI-UNS	30	
NEW	SE-ACR	31	
NEW	MS-CA	31	
	PU-SP	32	
	PU-SC	32	
	PU-TP	32	
NEW	PU-TC	32	
	PU-FP	33	
NEW	PU-FC	33	
NEW	PU-EP	33	
	PU-CL	34	
	PU-PI	34	
	PU-CA	34	

DIRECT FIXING GAS

	FG-GUN	36	
	FG-CL	36	
	FG-CLH	36	
	FG-PLET	37	
NEW	AB-PID	37	
	FG-ABRA	37	

	FG-BASE	37	
	FG-IMAN	37	
	FG-BAT	37	
	FG-CAR	37	
	FG-GAS	37	

ACCESSORIES

	RV-ZN	38	 1 M.
	RV-A2	38	 1 M.
	RV-2M	38	 2 M.
	MAHE	39	
	MARE	39	
	MARI	39	
NEW	MA-MH	39	
	SU-MO	40	
	SU-CL	40	
	SU-VA	40	
	SU-CU	40	
	PU-PH	41	
	DIN-934	41	
	DIN-125	42	
	DIN-9021	42	

PL

Drywall screw for plasterboard, with bugle head, twinfast thread, S-point

PL


Drywall screw for plasterboard, with wide head



CODE	SIZE		DRILL CAPACITY	MIN. ORDER QTY.		
PL35019	3,5 x 19	PH2	< 0.6 mm	2.000	1.000	12.000
PL35025	3,5 x 25	PH2	< 0.6 mm	2.000	1.000	12.000
PL35035	3,5 x 35	PH2	< 0.6 mm	2.000	1.000	6.000
PL35045	3,5 x 45	PH2	< 0.6 mm	1.000	500	6.000
PL35055	3,5 x 55	PH2	< 0.6 mm	1.000	500	3.000
PL39025	3,9 x 25	PH2	< 0.6 mm	2.000	1.000	12.000
PL39035	3,9 x 35	PH2	< 0.6 mm	2.000	1.000	6.000
PL39045	3,9 x 45	PH2	< 0.6 mm	1.000	500	3.000
PL39055	3,9 x 55	PH2	< 0.6 mm	1.000	500	3.000
PL42070	4,2 x 70	PH2	< 0.6 mm	500	500	3.000
PL42080	4,2 x 80	PH2	< 0.6 mm	500	500	2.000
PL48090	4,8 x 90	PH2	< 0.6 mm	500	500	1.500
PL48100	4,8 x 100	PH2	< 0.6 mm	500	500	1.000
PL48110	4,8 x 110	PH2	< 0.6 mm	500	500	1.000
PL48120	4,8 x 120	PH2	< 0.6 mm	500	500	1.000
PL48130	4,8 x 130	PH2	< 0.6 mm	500	500	1.000



FREE - 1 bit inside each box



Blister



Window Box

CODE	SIZE	PCS.	BAGS
BZPL35025	3,5 x 25	50	10
BZPL35035	3,5 x 35	40	10
BZPL35045	3,5 x 45	25	10

CODE	SIZE	PCS.	BOXES
VPL35025	3,5 x 25	250	8
VPL35035	3,5 x 35	250	8
VPL35045	3,5 x 45	150	8

PL-EP

Plastic container



CODE	SIZE		DRILL CAPACITY	MIN. ORDER QTY.	PCS X JAR
PLEP35025	3,5 x 25	PH2	< 0.6 mm	1 bote	4.000
PLEP35035	3,5 x 35	PH2	< 0.6 mm	1 bote	3.000



Drywall screw for plasterboard, with bugle head, coarse thread, S-point

PL-RA

HOLLOWS



CODE	SIZE		MIN. ORDER QTY.		
PLRA3925	3,9 x 25	PH2	2.000	1.000	12.000
PLRA3935	3,9 x 35	PH2	2.000	1.000	6.000
PLRA3945	3,9 x 45	PH2	1.000	500	3.000
PLRA3955	3,9 x 55	PH2	1.000	500	3.000
PLRA4835	4,8 x 35	PH2	2.000	1.000	6.000






CE

Drywall screw for plasterboard, with bugle head, twinfast thread

PL-TR

HOLLOWS



CODE	SIZE		DRILL CAPACITY	MIN. ORDER QTY.		
PLTR3525	3,5 x 25	PH2	0,8 - 3 mm	2.000	1.000	12.000
PLTR3535	3,5 x 35	PH2	0,8 - 3 mm	2.000	1.000	6.000
PLTR3545	3,5 x 45	PH2	0,8 - 3 mm	1.000	500	6.000





CE

Drywall screw for plasterboard, with wide head

PL-CA

HOLLOWS



CODE	SIZE		MIN. ORDER QTY.		
PLCAZ4213	4,2 x 13	PH2	1.000	1.000	12.000
PLCAZ4216	4,2 x 16	PH2	1.000	1.000	12.000
PLCAZ4219	4,2 x 19	PH2	1.000	1.000	12.000
PLCAZ4225	4,2 x 25	PH2	1.000	1.000	6.000
PLCAZ4232	4,2 x 32	PH2	500	500	6.000
PLCAZ4241	4,2 x 41	PH2	500	500	3.000
PLCAZ4251	4,2 x 51	PH2	200	200	2.400





CE

DIN-7504-N HP Panhead self-drilling screw and PH recess

DIN-7504-N HP Z

Zinc-plated. PH recess



Available in different coatings.
Ask for price and delivery time.

CODE	SIZE	PH	MAX. FIXTURE THICKNESS	DRILL CAPACITY	1000	24.000
ABR3509	3,5 x 9,5	PH2	2,8	0,70-2,25	1.000	24.000
ABR3511	3,5 x 11	PH2	4,2	0,70-2,25	1.000	24.000
ABR3513	3,5 x 13	PH2	6,2	0,70-2,25	1.000	24.000
ABR3516	3,5 x 16	PH2	9,2	0,70-2,25	1.000	16.000
ABR3519	3,5 x 19	PH2	12,1	0,70-2,25	1.000	12.000
ABR3522	3,5 x 22	PH2	15,1	0,70-2,25	1.000	12.000
ABR3525	3,5 x 25	PH2	18,1	0,70-2,25	500	12.000
ABR3532	3,5 x 32	PH2	25,1	0,70-2,25	500	6.000
ABR3913	3,9 x 13	PH2	5,8	0,70-2,40	1.000	16.000
ABR3916	3,9 x 16	PH2	8,8	0,70-2,40	1.000	12.000
ABR3919	3,9 x 19	PH2	11,7	0,70-2,40	1.000	12.000
ABR3925	3,9 x 25	PH2	17,7	0,70-2,40	500	8.000
ABR3932	3,9 x 32	PH2	24,5	0,70-2,40	500	6.000
ABR4213	4,2 x 13	PH2	4,3	1,75-3,00	1.000	12.000
ABR4216	4,2 x 16	PH2	7,3	1,75-3,00	1.000	12.000
ABR4219	4,2 x 19	PH2	10,3	1,75-3,00	1.000	12.000
ABR4222	4,2 x 22	PH2	13,3	1,75-3,00	500	8.000
ABR4225	4,2 x 25	PH2	17,7	1,75-3,00	500	6.000
ABR4232	4,2 x 32	PH2	24,5	1,75-3,00	500	6.000
ABR4238	4,2 x 38	PH2	30,5	1,75-3,00	500	6.000
ABR4250	4,2 x 50	PH2	41	1,75-3,00	500	3.000
ABR4813	4,8 x 13	PH2	3,7	1,75-4,40	1.000	8.000

CODE	SIZE	PH	MAX. FIXTURE THICKNESS	DRILL CAPACITY	1.000	8.000
ABR4816	4,8 x 16	PH2	5,5	1,75-4,40	1.000	8.000
ABR4819	4,8 x 19	PH2	10,3	1,75-4,40	1.000	8.000
ABR4822	4,8 x 22	PH2	11,7	1,75-4,40	500	6.000
ABR4825	4,8 x 25	PH2	14,7	1,75-4,40	500	6.000
ABR4832	4,8 x 32	PH2	21,5	1,75-4,40	500	6.000
ABR4838	4,8 x 38	PH2	27,5	1,75-4,40	500	3.000
ABR4845	4,8 x 45	PH2	34,5	1,75-4,40	500	3.000
ABR4850	4,8 x 50	PH2	39,5	1,75-4,40	500	3.000
ABR4860	4,8 x 60	PH2	49,5	1,75-4,40	500	2.000
ABR4880	4,8 x 80	PH2	69,5	1,75-4,40	250	1.500
ABR4890	4,8 x 90	PH2	79,5	1,75-4,40	100	1.200
ABR4810	4,8 x 100	PH2	89,5	1,75-4,40	100	1.200
ABR4811	4,8 x 110	PH2	-	1,75-4,40	100	1.200
ABR4812	4,8 x 120	PH2	-	1,75-4,40	100	1.200
ABR5519	5,5 x 19	PH3	8,7	1,75-5,25	500	6.000
ABR5522	5,5 x 22	PH3	11,7	1,75-5,25	500	6.000
ABR5525	5,5 x 25	PH3	14,7	1,75-5,25	500	4.000
ABR5532	5,5 x 32	PH3	21,5	1,75-5,25	500	3.000
ABR5538	5,5 x 38	PH3	27,5	1,75-5,25	500	3.000
ABR5545	5,5 x 45	PH3	34,5	1,75-5,25	500	3.000
ABR5560	5,5 x 60	PH3	49,5	1,75-5,25	250	1.500
ABR5573	5,5 x 73	PH3	62,5	1,75-5,25	250	1.500



Blister

CODE	SIZE	PCS.	BAGS
BZABR3509	3,5 x 9,5	40	15
BZABR3513	3,5 x 13	40	15
BZABR3516	3,5 x 16	40	15
BZABR4213	4,2 x 13	40	15
BZABR4216	4,2 x 16	40	15
BZABR4219	4,2 x 19	40	15
BZABR4225	4,2 x 25	20	15
BZABR4232	4,2 x 32	20	15
BZABR4816	4,8 x 16	35	15
BZABR4819	4,8 x 19	35	15
BZABR4825	4,8 x 25	20	15
BZABR4832	4,8 x 32	20	15
BZABR4838	4,8 x 38	20	15
BZABR4845	4,8 x 45	20	15
BZABR4850	4,8 x 50	20	15
BZABR4860	4,8 x 60	20	15






Window Box

CODE	SIZE	PCS.	BOXES
VABR3509	3,5 x 9,5	275	8
VABR3511	3,5 x 11	250	8
VABR3513	3,5 x 13	250	8
VABR3516	3,5 x 16	225	8
VABR3519	3,5 x 19	225	8
VABR3525	3,5 x 25	180	8
VABR3913	3,9 x 13	250	8
VABR3916	3,9 x 16	200	8
VABR3919	3,9 x 19	200	8
VABR3925	3,9 x 25	150	8
VABR3932	3,9 x 32	200	8
VABR4213	4,2 x 13	200	8
VABR4216	4,2 x 16	200	8
VABR4219	4,2 x 19	175	8
VABR4222	4,2 x 22	175	8
VABR4225	4,2 x 25	125	8
VABR4232	4,2 x 32	90	8
VABR4238	4,2 x 38	75	8
VABR4250	4,2 x 50	50	8
VABR4813	4,8 x 13	125	8
VABR4816	4,8 x 16	125	8
VABR4819	4,8 x 19	110	8
VABR4822	4,8 x 22	90	8
VABR4825	4,8 x 25	90	8
VABR4832	4,8 x 32	75	8
VABR4838	4,8 x 38	55	8
VABR4845	4,8 x 45	50	8
VABR4850	4,8 x 50	40	8
VABR4860	4,8 x 60	40	8
VABR4880	4,8 x 80	25	8
VABR5532	5,5 x 32	50	8

Self-drilling screw, blind-rivet head and PH recess. Zinc plated

RS



CODE	SIZE		MAX. FIXTURE THICKNESS	DRILL CAPACITY		
RSZ3509	3,5 x 9	PH2	2,8	0,75 - 2,25	500	22.500
RSZ3513	3,5 x 13	PH2	6,2	0,75 - 2,25	500	22.500
RSZ3516	3,5 x 16	PH2	9,2	0,75 - 2,25	500	22.500
RSZ4213	4,2 x 13	PH2	4,3	1,75 - 3,00	500	22.500
RSZ4216	4,2 x 16	PH2	7,3	1,75 - 3,00	500	12.000
RSZ4219	4,2 x 19	PH2	10,3	1,75 - 3,00	500	12.000
RSZ4225	4,2 x 25	PH2	16,3	1,75 - 3,00	250	6.000
RSZ4232	4,2 x 32	PH2	23	1,75 - 3,00	250	6.000
RSZ4813	4,8 x 13	PH2	3,7	1,75 - 4,4	500	12.000
RSZ4816	4,8 x 16	PH2	5,5	1,75 - 4,4	250	11.250
RSZ4819	4,8 x 19	PH2	8,7	1,75 - 4,4	250	11.250
RSZ4825	4,8 x 25	PH2	14,7	1,75 - 4,4	250	6.000
RSZ4832	4,8 x 32	PH2	21,5	1,75 - 4,4	250	3.000
RSZ4838	4,8 x 38	PH2	27,5	1,75 - 4,4	250	3.000



PATENTED






Available in different coatings.
Ask for price and delivery time.

Extra low panhead self-drilling screw, PH recess and stamped washer

TAE



CODE	SIZE		MAX. FIXTURE THICKNESS	DRILL CAPACITY		
TAEZ4213	4,2 x 13	PH2	4,3	0,75 - 2,50	500	12.000
TAEZ4216	4,2 x 16	PH2	7,3	0,75 - 2,50	500	8.000
TAEZ4219	4,2 x 19	PH2	10,3	0,75 - 2,50	500	6.000
TAEZ4225	4,2 x 25	PH2	16,3	0,75 - 2,50	500	6.000
TAEZ4232	4,2 x 32	PH2	23	0,75 - 2,50	500	6.000

TAEZ

Zinc-plated. PH recess



Available in different coatings.
Ask for price and delivery time.

RE

Rivets

RE-NO

Panhead, Aluminium



CODE	SIZE	DRILL Ø	MAX. FIXTURE THICKNESS		
RENO3206	3,2 x 6	3,3	1 – 3	500	6.000
RENO3208	3,2 x 8	3,3	3 – 5	500	12.000
RENO3210	3,2 x 10	3,3	5 – 7	500	6.000
RENO3212	3,2 x 12	3,3	7 – 9	500	6.000
RENO3214	3,2 x 14	3,3	9 – 11	500	6.000
RENO3216	3,2 x 16	3,3	11 – 13	500	6.000
RENO3218	3,2 x 18	3,3	13 – 15	500	6.000
RENO4006	4 x 6	4,1	0,5 – 2	500	6.000
RENO4008	4 x 8	4,1	2 – 4	500	6.000
RENO4010	4 x 10	4,1	4 – 6	500	6.000
RENO4012	4 x 12	4,1	6 – 8	500	6.000
RENO4014	4 x 14	4,1	8 – 10	500	6.000
RENO4016	4 x 16	4,1	10 – 12	500	6.000
RENO4018	4 x 18	4,1	12 – 14	500	3.000
RENO4020	4 x 20	4,1	14 – 16	500	6.000
RENO4025	4 x 25	4,1	16 – 18	250	3.000
RENO4030	4 x 30	4,1	23 – 16	250	3.000
RENO4035	4 x 35	4,1	26 – 30	250	3.000
RENO4806	4,8 x 6	5	0,5 – 1,5	500	6.000
RENO4808	4,8 x 8	5	1,5 – 3,5	500	6.000
RENO4810	4,8 x 10	5	3,5 – 5,5	500	3.000
RENO4812	4,8 x 12	5	5,5 – 7,5	500	3.000
RENO4814	4,8 x 14	5	7,5 – 9,5	250	3.000
RENO4816	4,8 x 16	5	9,5 – 11,5	250	3.000
RENO4818	4,8 x 18	5	11,5 – 13,5	250	3.000
RENO4820	4,8 x 20	5	13,5 – 15	250	3.000
RENO4822	4,8 x 22	5	15 – 17	200	2.400
RENO4824	4,8 x 24	5	17 – 19	200	2.400
RENO4826	4,8 x 26	5	19 – 21	200	2.400
RENO4828	4,8 x 28	5	21 – 23	200	2.400
RENO4830	4,8 x 30	5	23 – 25	200	2.400
RENO4835	4,8 x 35	5	25 – 30	150	1.800
RENO6008	6 x 8	6,1	1 – 2	250	3.000
RENO6010	6 x 10	6,1	2 – 4	250	3.000
RENO6012	6 x 12	6,1	3 – 6	250	3.000
RENO6018	6 x 18	6,1	6 – 10	200	1.200
RENO6025	6 x 25	6,1	10 – 12	200	1.200
RENO6016	6 x 16	6,1	15 – 19	250	1.500



Blister



Window Box

CODE	SIZE	PCS.	BAGS
BZRENO3208	3,2 x 8	15	20
BZRENO3210	3,2 x 10	15	20
BZRENO4008	4 x 8	15	20
BZRENO4010	4 x 10	15	20
BZRENO4012	4 x 12	15	20
BZRENO4016	4 x 16	15	20
BZRENO4810	4,8 x 10	15	20
BZRENO4812	4,8 x 12	15	20
BZRENO4816	4,8 x 16	8	20
BZRENO4820	4,8 x 20	8	20
BZRENO4824	4,8 x 24	8	20

CODE	SIZE	PCS.	BOXES
VRENO3206	3,2 x 6	50	8
VRENO3208	3,2 x 8	50	8
VRENO3210	3,2 x 10	50	8
VRENO3212	3,2 x 12	50	8
VRENO3214	3,2 x 14	50	8
VRENO3218	3,2 x 18	50	8
VRENO4006	4 x 6	50	8
VRENO4008	4 x 8	50	8
VRENO4010	4 x 10	50	8
VRENO4012	4 x 12	50	8
VRENO4014	4 x 14	50	8
VRENO4016	4 x 16	50	8
VRENO4018	4 x 18	50	8
VRENO4020	4 x 20	50	8
VRENO4808	4,8 x 8	50	8
VRENO4810	4,8 x 10	50	8
VRENO4812	4,8 x 12	50	8
VRENO4814	4,8 x 14	50	8
VRENO4816	4,8 x 16	50	8
VRENO4818	4,8 x 18	50	8
VRENO4820	4,8 x 20	50	8
VRENO4822	4,8 x 22	25	8
VRENO4824	4,8 x 24	25	8
VRENO4830	4,8 x 30	25	8
VRENO4835	4,8 x 35	25	8

Rivets

RE



RE-CA

Wide head. Aluminium



CODE	SIZE	DRILL Ø	MAX. FIXTURE THICKNESS		
RECA4008	4 x 8	4,1	2 - 4	500	3.000
RECA4010	4 x 10	4,1	4 - 6	500	3.000
RECA4012	4 x 12	4,1	6 - 8	250	3.000
RECA4016	4 x 16	4,1	10 - 12	250	3.000
RECA4810	4,8 x 10	5	3,5 - 5,5	250	3.000
RECA4812	4,8 x 12	5	5,5 - 7,5	250	3.000
RECA4814	4,8 x 14	5	7,5 - 9,5	250	3.000
RECA4816	4,8 x 16	5	9,5 - 11,5	250	1.500
RECA4818	4,8 x 18	5	11,5 - 13,5	200	2.400



Blister




CODE	SIZE	PCS.	BAGS
BZRECA4010	4 x 10	8	15
BZRECA4012	4 x 12	8	15
BZRECA4016	4 x 16	8	15
BZRECA4810	4,8 x 10	8	15
BZRECA4812	4,8 x 12	8	15
BZRECA4814	4,8 x 14	8	15
BZRECA4816	4,8 x 16	8	15
BZRECA4818	4,8 x 18	5	15

CODE	SIZE	PCS.	BOXES
VRECA4010	4 x 10	50	8
VRECA4012	4 x 12	35	8
VRECA4016	4 x 16	35	8
VRECA4810	4,8 x 10	25	8
VRECA4812	4,8 x 12	25	8
VRECA4814	4,8 x 14	25	8
VRECA4816	4,8 x 16	25	8
VRECA4818	4,8 x 18	20	8



RE-FL

Peel head



CODE	SIZE	DRILL Ø	MAX. FIXTURE THICKNESS		
REFL4012	4 x 12,1	4,1	4 - 6,5	500	6.000
REFL4014	4 x 13,9	4,1	6 - 9	500	3.000
REFL4016	4 x 15,7	4,1	8 - 11	500	3.000
REFL4018	4 x 17,4	4,1	10 - 13	500	3.000
REFL4020	4 x 19,2	4,1	12 - 15	500	3.000
REFL4814	4,8 x 14,5	5	4 - 8	250	3.000
REFL4816	4,8 x 16,3	5	6 - 10	250	3.000
REFL4830	4,8 x 30	5	19 - 24	200	1.200
REFL4835	4,8 x 35	5	24 - 29	150	1.800
REFL4840	4,8 x 40	5	29 - 34	150	1.800
REFL4845	4,8 x 45	5	-	150	900
REFL4850	4,8 x 50	5	-	150	900
REFL4818	4,8 x 18	5	8 - 12	250	3.000
REFL4824	4,8 x 24	5	15 - 18	200	2.400
REFL4025	4 x 25	4,1	15 - 20	250	3.000



Blister



CODE	SIZE	PCS.	BAGS
BZREFL4835	4,8 x 35	5	20

CODE	SIZE	PCS.	BOXES
VREFL4835	4,8 x 35	25	8

CP

Tape for plasterboards


CP-PA

Paper tape for joints



HOLLOWS



CODE	ROLL LENGTH	WIDTH	
CPPA023	23 m	50 mm	20
CPPA075	75 m	50 mm	20
CPPA150	150 m	50 mm	10

- Roll of microperforated paper tape to facilitate air release during placement.
- Central fold to facilitate its installation.
- High resistance.





CP-GV

Reinforced tape



HOLLOWS



CODE	ROLL LENGTH		
CPGV012	12,5 m	1	20
CPGV030	30 m	1	10

- Microperforated to facilitate air release during placement.
- It has two flexible metallic straps that have been treated against corrosion and enable a straight and continuous fold along the length of the tape.




CP-AC

Adhesive acoustic band



HOLLOWS



CODE	ROLL LENGTH	WIDTH	
CPAC300453	30 m x 45 x 3	45 mm	26
CPAC300703	30 m x 70 x 3	70 mm	17

- Adhesive on one side for more rapid work as it adheres directly to the profile.
- Particularly recommended for acoustic insulation.
- No paper.




CP-MV

Fiberglass mesh tape



HOLLOWS



CODE	ROLL LENGTH	
CPMV020	20 m	100
CPMV045	45 m	64
CPMV090	90 m	36
CPMV150	150 m	16

- Self-adhesive squared fibreglass mesh tape.
- It does not require an initial layer of paste for its installation.
- It improves the resistance of the bond and prevents cracks.



Universal anchor

OME

MULTI-MATERIAL



CODE	SIZE		
OMEM06	M6	100	300



M6 half clamp

MAB NEW

MULTI-MATERIAL



CODE	SIZE		
MABM6018	18	100	2.400



Suspension bracket

HO



CODE	SIZE	PROFILE		
HOCUM647	M6	TC 47	100	300

HO-CU


Pivot sleeve



CODE	SIZE	PROFILE		
HOCRM647	M6	TC 47	100	300
HOCRM660	M6	TC 60	100	-

HO-CR

Straight



Connecting piece for profiles

EMP



CODE		PROFILE		
EMPTC45	<small>NEW</small>	TC 45	50	150
EMPTC47		TC 47	50	100
EMPTC60		TC 60	50	100




CAB Trestle for profile intersection



CODE	PROFILE		
CABTC47	TC 47	50	400
CABTC60	TC 60	50	-

ADU Direct "U" hook for supporting profiles on false ceilings



CODE	PROFILE		
ADUTC47	TC 47	100	400
ADUTC60	TC 60	100	400



*The product is provided without folding.

SUS Accessory for hanging



CODE	PROFILE	LENGTH		
SUSTC47090	TC47	90	100	1.000
SUSTC47180	TC47	180	100	500
SUSTC47240	TC47	240	100	300
SUSTC47300	TC47	300	50	300
SUSTC47400	TC47	400	50	200




Trap doors for plasterboard

TR

HOLLOWS



CODE	SIZE	
TRBL200200	200 x 200	1
TRBL300300	300 x 300	1
TRBL400400	400 x 400	1
TRBL500500	500 x 500	1
TRBL600600	600 x 600	1

- Galvanised steel plate lacquered in white RAL9016.
- Snap closure system.
- Quick and easy attachment system using four flanges.
- Can be disassembled for installation.



TR-BL

Metallic white (RAL 9016)



HOLLOWS




CODE	SIZE	THICKNESS	
TR13200200	200 x 200	13 mm	2
TR13300300	300 x 300	13 mm	2
TR13400400	400 x 400	13 mm	2
TR13500500	500 x 500	13 mm	1
TR13600600	600 x 600	13 mm	1

- Aluminium frame reinforced with special angles in its interior.
- Flame-retardant green card plasterboard closure door.
- Button closure and opening with a retaining element.
- Can be disassembled for installation.




TR-13

Aluminium standard 13 mm



HOLLOWS




CODE	SIZE	THICKNESS	
TR15200200	200 x 200	15 mm	2
TR15300300	300 x 300	15 mm	2
TR15400400	400 x 400	15 mm	2
TR15500500	500 x 500	15 mm	1
TR15600600	600 x 600	15 mm	1

- Aluminium frame reinforced with special angles in its interior.
- Flame-retardant green card plasterboard closure door.
- Button closure and opening with a retaining element.
- Can be disassembled for installation.



TR-15

Aluminium standard 15 mm



TC Hammerfix assembled anchor, saw-tooth thread, polyamide 6.6

TC-CA

Countersunk plug



ALSO AVAILABLE
easykits

MULTI-MATERIAL



CODE	SIZE		MAX. FIXTURE THICKNESS	MIN. ORDER QTY.		
TCCA05025	5 x 25 Ø5	PZ2	5	400	100	2.400
TCCA05030	5 x 30 Ø5	PZ2	5	400	100	2.400
TCCA05035	5 x 35 Ø5	PZ2	10	400	100	2.400
TCCA05050	5 x 50 Ø5	PZ2	25	200	100	1.200
TCCA06035	6 x 35 Ø6	PZ2	10	400	100	1.200
TCCA06040	6 x 40 Ø6	PZ2	10	400	100	1.200
TCCA06050	6 x 50 Ø6	PZ2	20	200	100	1.200
TCCA06060	6 x 60 Ø6	PZ2	30	200	100	1.200
TCCA06070	6 x 70 Ø6	PZ2	40	200	100	1.200
TCCA06080	6 x 80 Ø6	PZ2	50	200	100	1.200
TCCA08060	8 x 60 Ø8	PZ3	20	200	100	600
TCCA08080	8 x 80 Ø8	PZ3	40	200	100	600
TCCA08100	8 x 100 Ø8	PZ3	60	100	100	600
TCCA08120	8 x 120 Ø8	PZ3	80	100	100	400
TCCA08140	8 x 140 Ø8	PZ3	100	100	100	300



Blister

CODE	SIZE	PCS.	BAGS
BZTCCA05030	5 x 30 Ø5	4	20
BZTCCA05050	5 x 50 Ø5	4	20
BZTCCA06040	6 x 40 Ø6	4	20
BZTCCA06050	6 x 50 Ø6	4	20
BZTCCA06060	6 x 60 Ø6	4	20
BZTCCA06070	6 x 70 Ø6	4	20
BZTCCA08060	8 x 60 Ø8	4	20
BZTCCA08080	8 x 80 Ø8	4	20
BZTCCA08100	8 x 100 Ø8	2	20
BZTCCA08120	8 x 120 Ø8	2	20



Window Box

CODE	SIZE	PCS.	BOXES
VTCCA05025	5 x 25 Ø5	30	8
VTCCA05030	5 x 30 Ø5	30	8
VTCCA05035	5 x 35 Ø5	30	8
VTCCA05050	5 x 50 Ø5	30	8
VTCCA06035	6 x 35 Ø6	30	8
VTCCA06040	6 x 40 Ø6	30	8
VTCCA06050	6 x 50 Ø6	30	8
VTCCA06060	6 x 60 Ø6	25	8
VTCCA06070	6 x 70 Ø6	25	8
VTCCA08060	8 x 60 Ø8	20	8
VTCCA08080	8 x 80 Ø8	20	8

TC-CA EP

Plastic container



MULTI-MATERIAL



CODE	SIZE		MAX. FIXTURE THICKNESS	MIN. ORDER QTY.	PCS X JAR
TCCAEP5030	5 x 30 Ø5	PZ2	5	2 jars	750
TCCAEP6040	6 x 40 Ø6	PZ2	10	2 jars	500



Hammerfix assembled anchor, saw-tooth thread, polyamide 6.6

TC

MULTI-MATERIAL



CODE	SIZE		MAX. FIXTURE THICKNESS	MIN. ORDER QTY.		
TCCC05025	5 x 25 Ø5	PZ2	5	400	100	2.400
TCCC05030	5 x 30 Ø5	PZ2	5	400	100	2.400
TCCC05035	5 x 35 Ø5	PZ2	10	400	100	2.400
TCCC05050	5 x 50 Ø5	PZ2	25	200	100	1.200
TCCC06035	6 x 35 Ø6	PZ2	10	400	100	1.200
TCCC06040	6 x 40 Ø6	PZ2	10	400	100	1.200
TCCC06050	6 x 50 Ø6	PZ2	20	200	100	1.200
TCCC06060	6 x 60 Ø6	PZ2	30	200	100	1.200
TCCC06070	6 x 70 Ø6	PZ2	40	200	100	1.200
TCCC08060	8 x 60 Ø8	PZ3	20	200	100	600
TCCC08080	8 x 80 Ø8	PZ3	40	200	100	600
TCCC08100	8 x 100 Ø8	PZ3	60	100	100	600
TCCC08120	8 x 120 Ø8	PZ3	80	100	100	400
TCCC08140	8 x 135 Ø8	PZ3	100	100	100	300

TC-CC


Cylindrical head plug



High expansion hammerfix plug

TC-SP **NEW**

MULTI-MATERIAL




CODE	SIZE		MAX. FIXTURE THICKNESS		
TCSP05027	5 x 27	PZ2	5	100	2.400
TCSP06032	6 x 32	PZ2	5	100	1.200
TCSP06040	6 x 40	PZ2	10	100	1.200

TC-SP

With countersunk head



MULTI-MATERIAL



CODE	SIZE		MAX. FIXTURE THICKNESS	PCS X JAR
TCSPEP05027	5 x 27	PZ2	5	750
TCSPEP06032	6 x 32	PZ2	5	500
TCSPEP06040	6 x 40	PZ2	10	500

TC-SP EP

Plastic container



T4S

4-way expansion plug for all materials

TN4S

4-way expansion plug



CODE	SIZE	SCREW SIZE (Ø L)	MIN. ORDER QTY.		
TN4S05	5 x 25 Ø5	Ø2,5 - Ø4 L: 30 mm	400	100	4.200
TN4S06	6 x 30 Ø6	Ø3,5 - Ø4,5 L: 40 mm	400	100	3.200
TN4S08	8 x 40 Ø8	Ø4,5 - Ø6 L: 50 mm	400	100	1.600
TN4S10	10 x 50 Ø10	Ø6 - Ø8 L: 60 mm	200	50	800
TN4S12	12 x 60 Ø12	Ø8 - Ø10 L: 70 mm	50	25	400
TN4S14	14 x 70 Ø14	Ø10 - Ø12 L: 80 mm	40	20	320



Blister

CODE	SIZE	PCS.	BAGS
BZTN4S05	5 x 25 Ø5	25	15
BZTN4S06	6 x 30 Ø6	25	15
BZTN4S08	8 x 40 Ø8	15	10
BZTN4S10	10 x 50 Ø10	10	10
BZTN4S12	12 x 60 Ø12	6	10



TN4S EP

Plastic container



CODE	SIZE	MIN. ORDER QTY.	PCS X JAR
TN4S06EP	6 x 30 Ø6	2 jars	1.000
TN4S08EP	8 x 40 Ø8	2 jars	500
TN4S10EP	10 x 50 Ø10	2 jars	300



MEDU

Universal plug with collar and knot-like form



CODE	SIZE	MAX. FIXTURE THICKNESS	SCREW SIZE	MIN. ORDER QTY.		
MEDUB06	6 x 35 Ø6	10	TPPO 3,5-4	600	150	2.400
MEDUB07	8 x 42 Ø8	8	TPPO 4-4,5	400	100	1.600
MEDUB08	8 x 50 Ø8	12	TPPO 4-4,5	320	80	1.200
MEDUB10	10 x 60 Ø10	11	TPPO 5-6; TB 5,6,7	200	50	800




Blister

CODE	SIZE	PCS.	BAGS
BZMEDUB06	6 x 35 Ø6	10	20
BZMEDUB08	8 x 50 Ø8	10	20
BZMEDUB10	10 x 60 Ø10	6	20

Anti-spin sleeve anchor, for medium loads

CH



CH-TO

Hexagonal head screw 6.8. Option 7
ETA Assessed



CODE	SIZE		
ACHT08C	M6 x 45 Ø8	200	1.200
ACHT08L	M6 x 60 Ø8	200	800
• ACHT09C	M6 x 45 Ø9	200	800
• ACHT09L	M6 x 60 Ø9	200	800
ACHT10C	M8 x 60 Ø10	100	600
ACHT10L	M8 x 80 Ø10	100	400
• ACHT11C	M8 x 60 Ø11	100	400
• ACHT11L	M8 x 80 Ø11	100	400
ACHT12C	M10 x 70 Ø12	100	200
ACHT12L	M10 x 100 Ø12	50	200
• ACHT14C	M10 x 70 Ø14	100	200
• ACHT14L	M10 x 100 Ø14	50	200
ACHT16C	M12 x 80 Ø16	50	200
ACHT16L	M12 x 110 Ø16	50	100
ACHT20C	M16 x 110 Ø20	25	50
• ACHT25C	M20 x 130 Ø25	15	45

• Non-assessed sizes



Blister



Window Box

CODE	SIZE	PCS.	BAGS
BZACTH08C	M6 x 45 Ø8	2	15
BZACTH08L	M6 x 60 Ø8	2	15
BZACTH10C	M8 x 60 Ø10	2	15
BZACTH10L	M8 x 80 Ø10	2	15
BZACTH12C	M10 x 70 Ø12	2	10
BZACTH12L	M10 x 100 Ø12	2	10


CODE	SIZE	PCS.	BOXES
VACTH08C	M6 x 45 Ø8	15	8
VACTH08L	M6 x 60 Ø8	15	8
VACTH10C	M8 x 60 Ø10	10	8
VACTH10L	M8 x 80 Ø10	10	8
VACTH12C	M10 x 70 Ø12	8	8
VACTH12L	M10 x 100 Ø12	6	8
VACTH16C	M12 x 80 Ø16	4	8

HE

Drop in anchor with internal thread for heavy loads

HE-HO

Zinc plated.
Option 7 ETA Assessed




CODE	SIZE	LENGTH		
HEHOM06	M6 x 25 Ø8	25	100	4.000
HEHOM08	M8 x 30 Ø10	30	100	2.200
HEHOM10	M10 x 40 Ø12	40	50	1.000
HEHOM12	M12 x 50 Ø15	50	50	600
HEHOM16	M16 x 65 Ø20	65	25	250
HEHOM20	M20 x 80 Ø25	80	25	100
HEHOM12D	M12 x 50 Ø16	50	50	400

* Designed for fastening diamond cutting equipment

HE-A4


Stainless steel A4.
Option 7 ETA Assessed



CODE	SIZE	LENGTH		
HEA4M06	M6 x 25 Ø8	25	100	4.000
HEA4M08	M8 x 30 Ø10	30	100	2.200
HEA4M10	M10 x 40 Ø12	40	50	1.000
HEA4M12	M12 x 50 Ø15	50	50	600
HEA4M16	M16 x 65 Ø20	65	25	250
HEA4M20	M20 x 80 Ø25	80	25	100

HE-CL

With flared lip.
Option 7 ETA Assessed




CODE	SIZE	LENGTH		
HECLOM06	M6 x 25 Ø8	25	100	4.000
HECLOM08	M8 x 30 Ø10	30	100	2.200
HECLOM10	M10 x 40 Ø12	40	50	1.000
HECLOM12	M12 x 50 Ø15	50	50	600
HECLOM16	M16 x 65 Ø20	65	25	250
HECLOM12D	M12 x 50 Ø16	50	50	400

* Designed for fastening diamond cutting equipment

Drop in anchor with internal thread for heavy loads


HE



CODE	SIZE	LENGTH		
HEHCM08	M8 x 25 Ø10	25	100	1.600
HEHCM10	M10 x 25 Ø12	25	50	800
HEHCM12	M12 x 25 Ø15	25	50	-

HE-HC **NEW**

Short. Zinc plated.
Option 7 ETA Assessed



CODE	SIZE	LENGTH		
HENOM06	M6 x 25 Ø8	25	100	4.000
HENOM08	M8 x 30 Ø10	30	100	2.200
HENOM10	M10 x 40 Ø12	40	50	1.000
HENOM12	M12 x 50 Ø15	50	50	600
HENOM16	M16 x 65 Ø20	65	25	250
HENOM20	M20 x 80 Ø25	80	25	100

HE-NO

Zinc-plated




Blister



CODE	SIZE	PCS.	BAGS
BZHENOM06	M6 x 25 Ø8	4	20
BZHENOM08	M8 x 30 Ø10	4	20
BZHENOM10	M10 x 40 Ø12	2	15

CODE	SIZE	PCS.	BOXES
VHENOM06	M6 x 25 Ø8	15	8
VHENOM08	M8 x 30 Ø10	15	8



CODE	SIZE	LENGTH		
HENSM08	M8 x 30 Ø10	30	100	2.200
HENSM10	M10 x 40 Ø12	40	50	1.000
HENSM12	M12 x 50 Ø15	50	50	600
HENSM16	M16 x 65 Ø20	65	25	250

HE-NS **NEW**

ATLANTIS C3-L



CODE	SIZE	VALID FOR		
EXHBM06	M6	M6 x 25 Ø8	1	10
EXHBM08	M8	M8 x 30 Ø10	1	10
EXHBM10	M10	M10 x 40 Ø12	1	10
EXHBM12	M12	M12 x 50 Ø15	1	10
•EXHBM16	M16	M16 x 65 Ø20	1	10
•EXHBM20	M20	M20 x 80 Ø25	1	10

EXP

Manual setting tool for drop in anchors



• Measurements without handle

HC Hollow-core slab anchor ETA Assessed



HOLLOWS   



CODE	SIZE	DRILL Ø		
HCM06	M6	10	100	600
HCM08	M8	12	50	600
HCM10	M10	16	25	300





AN-CU Ceiling wedge anchor ETA Assessed








SOLID      





CODE	SIZE	DRILL Ø		
ANCU06040	6 x 40 Ø6	6	100	1.200
ANCU06070	6 x 70 Ø6	6	100	1.200

TWA Tie wire anchor




SOLID     

CODE	SIZE		
TWA06060	6 x 60 Ø6	100	2.400

Brass expansion anchor for light fastenings in solid materials

TALA



CODE	SIZE		
TALA532	W5/32 x 16 Ø5	300	9.600
TALAM04	M4 x 16 Ø5	300	9.600
TALAM05	M5 x 18 Ø6	200	6.400
TALAM06	M6 x 23 Ø8	200	4.800
TALAM08	M8 x 28 Ø10	100	2.400
TALAM10	M10 x 33 Ø12	150	1.800
TALAM12	M12 x 38 Ø15	150	900



CODE	SIZE	PCS. 	BAGS
BZTALAM06	M6 x 23 Ø8	4	20
BZTALAM08	M8 x 28 Ø10	4	20
BZTALAM10	M10 x 33 Ø12	2	15

CODE	SIZE	PCS. 	BOXES
VTALAM06	M6 x 23 Ø8	25	8
VTALAM08	M8 x 28 Ø10	15	8
VTALAM10	M10 x 33 Ø12	15	8

Steel expansion plug

TA-ME



CODE	SIZE	MIN. ORDER QTY.		
TAME05030	M5 x 30 Ø5	200	100	4.500
TAME06032	M6 x 32 Ø6	200	100	2.400
TAME08038	M8 x 38 Ø8	200	100	1.200
TAME08060	M8 x 60 Ø8	100	50	600
TAME10060	M10 x 60 Ø10	50	50	600



CODE	SIZE	PCS. 	BAGS
BZTAME06032	M6 x 32 Ø6	4	20
BZTAME08038	M8 x 38 Ø8	4	20
BZTAME08060	M8 x 60 Ø8	4	20
BZTAME10060	M10 x 60 Ø10	4	20

Fixing plug for insulation panels

AIS



AIS
Plug

CODE	SIZE	WASHER Ø		
AIS08080	8 x 80 Ø8	35	100	200
AIS08100	8 x 100 Ø8	35	100	-
AIS08120	8 x 120 Ø8	35	100	-
AIS08140	8 x 140 Ø8	35	100	-



AIS-C
Plug with nail

CODE	SIZE	WASHER Ø	
AISC10070	10 x 70 Ø10	52	100
AISC10090	10 x 90 Ø10	52	100
AISC10110	10 x 110 Ø10	52	100
AISC10130	10 x 130 Ø10	52	100



BA-NO Gravity toggle for fixing lightweight in ceilings

BA-ES

Projecting bolt



PATENTED

ALSO AVAILABLE
easykits

HOLLOWES



CODE	SIZE	MIN. ORDER QTY.		
BAESM04	M4 Ø14	100	50	300
BAESM05	M5 Ø14	100	50	300
BAESM06	M6 Ø16	100	50	200
BAESM08	M8 Ø20	50	50	200

Blister

CODE	SIZE	PCS. 	BAGS
BZBAESM04	M4 Ø14	2	12
BZBAESM05	M5 Ø14	2	12
BZBAESM06	M6 Ø16	2	10

Window Box

CODE	SIZE	PCS. 	BOXES
VBAESM04	M4 Ø14	6	8
VBAESM05	M5 Ø14	6	8
VBAESM06	M6 Ø16	4	8

BA-GA

Hook



PATENTED

ALSO AVAILABLE
easykits

HOLLOWES



CODE	SIZE	MIN. ORDER QTY.		
BAGAM04	M4 Ø14	100	50	300
BAGAM05	M5 Ø14	100	50	300
BAGAM06	M6 Ø16	100	50	200
BAGAM08	M8 Ø20	50	50	150

Blister

CODE	SIZE	PCS. 	BAGS
BZBAGAM04	M4 Ø14	2	12
BZBAGAM05	M5 Ø14	2	12
BZBAGAM06	M6 Ø16	2	10

Window Box

CODE	SIZE	PCS. 	BOXES
VBAGAM04	M4 Ø14	6	8
VBAGAM05	M5 Ø14	6	8
VBAGAM06	M6 Ø16	4	8

CA-BA

Toggle head



PATENTED

ALSO AVAILABLE
easykits

HOLLOWES



CODE	SIZE		
CABA004	M4 Ø14	100	1.200
CABA005	M5 Ø14	100	1.200
CABA006	M6 Ø16	100	600
CABA008	M8 Ø20	100	400

Window Box

CODE	SIZE	PCS. 	BOXES
VCABA004	M4 Ø14	20	8
VCABA005	M5 Ø14	20	8
VCABA006	M6 Ø16	15	8

Spring toggle

PA-LO

HOLLOWS



CODE	SIZE	MIN. ORDER QTY.		
PAESM04	M4 Ø12	100	50	300
PAESM05	M5 Ø15	100	50	300
PAESM06	M6 Ø18	100	50	200
PAESM08	M8 Ø22	50	50	150



Blister

CODE	SIZE	PCS.	BAGS
BZPAESM04	M4 Ø12	2	12
BZPAESM05	M5 Ø15	2	12
BZPAESM06	M6 Ø18	2	10



Window Box

CODE	SIZE	PCS.	BOXES
VPAESM04	M4 Ø12	6	8
VPAESM05	M5 Ø15	6	8
VPAESM06	M6 Ø18	4	8

PA-ES

Projecting bolt



HOLLOWS



CODE	SIZE	MIN. ORDER QTY.		
PAGAM04	M4 Ø12	100	50	300
PAGAM05	M5 Ø15	100	50	300
PAGAM06	M6 Ø18	100	50	200
PAGAM08	M8 Ø22	50	50	150



Blister

CODE	SIZE	PCS.	BAGS
BZPAGAM04	M4 Ø12	2	12
BZPAGAM05	M5 Ø15	2	12
BZPAGAM06	M6 Ø18	2	10



Window Box

CODE	SIZE	PCS.	BOXES
VPAGAM04	M4 Ø12	6	8
VPAGAM05	M5 Ø15	6	8
VPAGAM06	M6 Ø18	4	8

PA-GA

Hook



HOLLOWS



CODE	SIZE		
CAPA004	M4 Ø12	100	2.400
CAPA005	M5 Ø15	100	1.200
CAPA006	M6 Ø18	100	600
CAPA008	M8 Ø22	100	400



Window Box

CODE	SIZE	PCS.	BOXES
VCAPA004	M4 Ø12	24	8
VCAPA005	M5 Ø15	20	8
VCAPA006	M6 Ø18	15	8

CA-PA

Spring toggle head



NEW

MS-PR

PROFESSIONAL. Affix, assemble and seal with multiple materials



MSPRB290




MSPRN290




MSPRM290



MSPRG290



**STICKS
ASSEMBLE
SEALS**



CODE	COLOUR		
MSPRB290		290 ml	12
MSPRN290		290 ml	12
MSPRM290		290 ml	12
MSPRG290		290 ml	12

Neutral and odourless adhesive sealant with excellent multi-material adhesion, especially recommended for affixing and sealing shelves, roof fixings, gutters, decks, frame joints or structures subjected to vibrations, sealing expansion joints, cisterns, containers and other aluminium elements, as well as for use in the food processing industry as this product has the ISEGA Certificate.

CHARACTERISTICS

- Available in white, black, brown (RAL 8016) and grey (RAL7030).
- Hardness: 35-40 ShoreA.
- Withstands vibrations. 300% elasticity.
- Maximum load of 150 kg/10cm²
- Can be painted and sanded.
- Ecological (A+, EnviroCert and ISEGA Certificates).
- Solvent free.
- Neutral and odourless.
- Water-resistant.
- Thixotropic (does not run on vertical joints).

APPLICATIONS

- Affixing and sealing in construction: shelves, roof fixings, gutters, decks, frame joints or structures subjected to vibrations.
- Filling cracks.
- Sealing and affixing in industry and automotive sectors.
- Sealing of expansion joints, cisterns, containers and other aluminium elements.
- Product certified for use in the food processing industry (ISEGA Certificate).
- Suitable for indoor and outdoor use. Resistant to UV and atmospheric conditions
- Can be applied to damp surfaces.
- Suitable for application in low temperatures.
- Adhesion to all types of materials (concrete, wood, metal, cork, aluminium, PVC, copper, brick, stone, porcelain...). Not recommended for Polyethylene (PE), Polypropylene (PP) and Polytetrafluoroethylene (PTFE).
- If the base material is unknown, tests must be done beforehand to ensure the product functions correctly.
- Suitable for assembling and affixing.

TRANSPARENT. Maximum transparency in joints

MS-TR NEW



STICKS ASSEMBLE



CODE	COLOUR		
MSTR290		290 ml	12



Colourless and odourless adhesive especially recommended for affixing and assembling in materials where a transparent or visible joint is preferred, such as glass, panes, acrylic, PVC, porcelain, ceramic and other transparent elements, outdoors or indoors.

CHARACTERISTICS

- Maximum transparency.
- Hardness: 30-35 ShoreA.
- 250% elasticity.
- Maximum load of 140 kg/10cm²
- Neutral and odourless.
- Can be painted and sanded.
- Solvent free. Water-resistant.

APPLICATIONS


- Colourless. Suitable for affixing glass, panes, acrylic, PVC, porcelain, ceramic and other transparent elements, outdoors or indoors.
- Attaching of materials with a transparent or visible joint.
- Suitable for indoor and outdoor use. UVresistant.
- Can be applied to damp surfaces.
- Adhesion to all types of materials (concrete, wood, metal, cork, aluminium, PVC, copper, brick, stone, porcelain...). Not recommended for Polyethylene (PE), Polypropylene (PP) and Polytetrafluoroethylene (PTFE).
- If the base material is unknown, tests must be done beforehand to ensure the product functions correctly.
- Suitable for assembling, sealing and affixing.

SUPERFAST HIGH TACK. Total hold, instantaneous maximum load

MS-SF NEW



TOTAL HOLD



CODE	COLOUR		
MSSF290		290 ml	12



White adhesive which acts immediately to secure heavy objects quickly in demanding conditions without supports. Suitable for all types of materials (concrete, wood, metal, cork, aluminium, PVC, copper, brick, stone, porcelain...) both indoors and outdoors.

CHARACTERISTICS

- Maximum load of 430 kg/10cm²
- Instant adhesion in 1 second.
- Hardness: 60-70 ShoreA.
- Elongation at break: 150-250%
- Neutral and odourless.
- Can be painted and sanded.
- Ecological (A+ and EnviroCert Certificates).
- Solvent free. Water-resistant.

APPLICATIONS

- Especially recommended for affixing and connecting heavy elements quickly and without additional fixings. Triples the holding capacity of other adhesives.
- Suitable for indoor and outdoor use. UVresistant.
- Can be applied to damp surfaces.
- Adhesion to all types of materials (concrete, wood, metal, cork, aluminium, PVC, copper, brick, stone, porcelain...). Not recommended for Polyethylene (PE), Polypropylene (PP) and Polytetrafluoroethylene (PTFE).
- If the base material is unknown, tests must be done beforehand to ensure the product functions correctly.

NEW **SI-PR** NEUTRAL Professional

Professional neutral silicone for mounting windows, glazing and tempered glass on aluminium frames. Excellent adhesion on smooth and porous materials.



SIPRB280

SIPRG280

SIPRM280

SIPRN280

SIPRT280



RAL 7030



RAL 8016

CODE	COLOUR		
SIPRB280		280 ml	12
SIPRG280		280 ml	12
SIPRM280		280 ml	12
SIPRN280		280 ml	12
SIPRT280		280 ml	12




ELASTIC AND FLEXIBLE



WINDOWS AND FAÇADES



MULTI-MATERIAL



CHARACTERISTICS

- Elastic and flexible.
- Suitable for application on windows.
- Available in white, black, brown (RAL 8016), grey (RAL7030) and transparent.
- Multi-material: suitable for use on aluminium and PVC carpentry, expansion joints, concrete, bricks, stone, wood, metals and glass)
- A+ Certificate for indoor emissions.

NEUTRAL SANITAR Professional

SI-PRS **NEW**

Professional neutral silicon with fungicide properties for humid environments



CODE	COLOUR		
SIPRSB280		280 ml	12
SIPRST280		280 ml	12



ELASTIC AND FLEXIBLE



ANTI-MOULD



BATHROOMS AND KITCHEN



MULTI-MATERIAL

CHARACTERISTICS

- They contain fungicides to avoid the appearance of mould.
- Suitable for application in bathrooms and kitchens.
- Elastic and flexible.
- Suitable for application on windows.
- Available in white and transparent.
- Multi-material: suitable for use on aluminium and PVC carpentry, expansion joints, concrete, bricks, stone, wood metals and glass)

NEW **SI-UNI** ACETIC Universal


Multi-use universal acetic silicone



CODE	COLOUR		
SIUNIB280		280 ml	12
SIUNIG280		280 ml	12
SIUNIM280		280 ml	12
SIUNIN280		280 ml	12
SIUNIT280		280 ml	12



ELASTIC AND FLEXIBLE OUTSIDE & INSIDE GLASS PANES AND WINDOWS MULTI-USE



CHARACTERISTICS

- Multiuse: suitable for use on aluminium, ceramic, glass and porcelain.
- Not suitable for materials that are porous, oxidable or susceptible to acid attack
- Elastic and flexible.
- Can be applied inside and outside.

NEW **SI-UNS** ACETIC SANITAR Universal

Multi-use universal acetic silicone with fungicide properties for humid environments



CODE	COLOUR		
SIUNSB280		280 ml	12
SIUNST280		280 ml	12



ELASTIC AND FLEXIBLE ANTI-MOULD BATHROOMS AND KITCHEN MULTI-MATERIAL



CHARACTERISTICS

- Contains fungicide to prevent the appearance of mould.
- Suitable for application in bathrooms and kitchens.
- Elastic and flexible.
- Suitable for application on windows.
- Available in white and transparent.
- Multiuse: Suitable for use on aluminium, ceramic, glass and porcelain.
- Not suitable for materials that are porous, oxidable or susceptible to acid attack.

Acrylic sealant for joints & cracks

SE-ACR NEW

Professional acrylic sealant for sealing joints in porous materials and for repairing small cracks



CODE	COLOUR		
SEACRB280		280 ml	12
SEACRG280		280 ml	12

OUTSIDE & INSIDE	FLEXIBLE	PAINTABLE	POROUS MATERIALS


CHARACTERISTICS

- Suitable for sealing all types of joints, small holes, cracks in façades and walls, slits in shutter encasements, and door and window frames.
- Suitable for application on porous materials (concrete, wood, ceramic tiles, gypsum board) and for repairing small cracks.
- Flexible and high adherence.
- Can be painted and varnished.
- Very easy to apply.
- Suitable for indoor & outdoor applications.

Nozzles for MS adhesives and silicones

MS-CA NEW

CODE	MODEL	VALID FOR	PCS.	BAGS
MSCATP	TAPON	MS-PR, MS-TR and silicones	12	18
MSCAHT	ANCHA	MS-SF	12	18



PU-S Multipurpose polyurethane foam

PU-SP

For application with a gun



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUSP750	750 ml	EN 13501, part 1 (E)	-40°C to +90°C	12

PU-SC

For application with a tube



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUSC750	750 ml	EN 13501, part 1 (E)	-40°C to +90°C	12



NEW ECOFLEX NOZZLE
Its innovative blocking system means that the product can be kept and reused for several days, reducing product waste and being more environmentally friendly.

PU-T Polyurethane foam for attaching tiles

PU-TP

For application with a gun



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUTP750	750 ml	EN 13501, part 1 (E)	-40°C to +90°C	12



NEW PU-TC

For application with a tube



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUTC750	750 ml	EN 13501, part 1 (E)	-40°C to +90°C	12



Polyurethane foam Fire resistance **PU-F**



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUFP750	750 ml	DIN 4102, part 1 (B1); BS 476, part 20; EN 13501, part 1 (B-s1, d0); EN 13501, part 2 (EI 240)	-40°C to +90°C	12

PU-FP
For application with a gun



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUFC750	750 ml	DIN 4102, part 1 (B1); BS 476, part 20; EN 13501, part 1 (B-s1, d0); EN 13501, part 2 (EI 240)	-40°C to +90°C	12

PU-FC NEW
For application with a tube



NEW ECOFLEX NOZZLE
Its innovative blocking system means that the product can be kept and reused for several days, reducing product waste and being more environmentally friendly.

Polyurethane adhesive ETICS for insulation panels & cardboard panels **PU-EP**



CODE	SIZE	COMBUSTION GRADE	APPLICATION TEMPERATURE	
PUEP750	750 ml	EN 13501-1 (E)	-40°C to +90°C	12

ASSESSED ACCORDING TO **ETAG 004**

PU-EP NEW
For application with a gun

PU-AC

Accessories for polyurethane foams

PU-PI

Application gun for polyurethane foams



CODE	MODEL	CARTDRIDGE SIZE	
PUPI01	Professional	750 ml	1
PUPI02	NEW Basic	750 ml	1

PU-CA

Nozzle for polyurethane foam application



CODE	CARTDRIDGE SIZE	PCS.	BAGS
PUCA01	750 ml	12	18

PU-CL

Cleaner for polyurethane foam application



CODE	SIZE	PCS.	BAGS
PUCA01	750 ml	12	18



FG-GUN

Semiautomatic, wireless, gas-actuated nail gun Shootex 60

GAS



GUN SUPPLIED WITH COMPLETE KIT CASE

CODE		
FG60GUN	Gas gun	1

- Direct anchoring technique for light fixings: organising cabling, positioning of metallic profiles for the installation of plasterboard walls, etc.
- Fixing of metal or wood to concrete or blocks.
- Gun supplied with complete kit case, including battery charger.
- Long-lasting batteries.
- Suitable for nails up to 40 mm. long.
- Gas charge supplied with consumables.

TOOL CASE CONTENT

· SHOOTEX60 Gun	· Allen key
· Charger	· User manual
· 2 batteries	

FG-CL

Nails for gas-actuated guns

FG-CL

Nails for Shooter60 and Pulsa400



+ 1 FUELL CELL



GAS

CODE	SIZE	
FGCL15	2,6 x 15	1.000
FGCL20	2,6 x 20	1.000
FGCL25	2,6 x 25	1.000
FGCL30	2,6 x 30	1.000
FGCL35	2,6 x 35	1.000
FGCL40	2,6 x 40	1.000
FGCL58	2,6 x 58	1.000

FG-CLH

Nails for hard materials. Shootex6



+ 1 FUELL CELL



GAS

CODE	SIZE	
FGCLH17	3,1 x 17	1.000
FGCLH19	3,1 x 19	1.000
FGCLH22	3,1 x 22	1.000
FGCLH27	3,1 x 27	1.000
FGCLH32	3,1 x 32	1.000

Accessories for gas gun

FG-AC

CODE	SIZE		
FGPLET	M6 - M8	100	400

CODE	SIZE		
ABPID016	16	100	1.200
ABPID020	20	100	1.200
ABPID025	25	100	600
ABPID032	32	100	600

CODE	SIZE		
FGABRA15	15 - 18	100	-
FGABRA20	20 - 25	50	200
FGABRA25	25 - 32	50	-

CODE		
FGBASENE	100	1.200

CODE	SIZE	
FGIMAN	internal Ø 11,25	1

CODE	
FG60BAT	1

CODE	
FG60CAR	1

CODE		
FG60GAS	1	12



FG-PLET

Threaded platen for rod



AB-PID ^{NEW}

Conduit clip with single hole for shooting



FG-ABRA

Snap clamp



FG-BASE

Flange base



FG-IMAN

Magnet



FG-BAT

FP60GUN Battery



FG-CAR

FP60GUN Charger



FG-GAS

Gas cartridge



RV

Threaded rod

RV-ZN

Zinc-plated



1 M.

8.8

Available in
8.8 quality.
Under request

METAL



CODE	SIZE	PITCH	
975ZM04	M4 x 1000	0,7	100
975ZM05	M5 x 1000	0,8	100
975ZM06	M6 x 1000	1	100
975ZM08	M8 x 1000	1,25	50
975ZM10	M10 x 1000	1,5	25
975ZM12	M12 x 1000	1,75	20
975ZM14	M14 x 1000	2	10
975ZM16	M16 x 1000	2	10
975ZM18	M18 x 1000	2,5	10
975ZM20	M20 x 1000	2,5	5
975ZM22	M22 x 1000	2,5	5
975ZM24	M24 x 1000	3	5
975ZM27	M27 x 1000	3	5
975ZM30	M30 x 1000	3,5	5
975ZM33	M33 x 1000	3,5	3
975ZM36	M36 x 1000	4	3

RV-A2

A2 Stainless steel



1 M.

STAINLESS STEEL



CODE	SIZE	PITCH	
975A2M04	M4 x 1000	0,7	1
975A2M05	M5 x 1000	0,8	1
975A2M06	M6 x 1000	1	1
975A2M08	M8 x 1000	1,25	1
975A2M10	M10 x 1000	1,5	1
975A2M12	M12 x 1000	1,75	1
975A2M14	M14 x 1000	2	1
975A2M16	M16 x 1000	2	1
975A2M18	M18 x 1000	2,5	1
975A2M20	M20 x 1000	2,5	1
975A2M22	M22 x 1000	2,5	1
975A2M24	M24 x 1000	3	1
975A2M27	M27 x 1000	3	1
975A2M30	M30 x 1000	3,5	1
975A2M33	M33 x 1000	3,5	1
975A2M36	M36 x 1000	4	1

RV-2M


2 meters. Zinc-plated



2 M.

METAL



CODE	SIZE	PITCH	
975ZM2M06	M6 x 2.000	1	50

Coupling nut MA



CODE	SIZE	LENGTH		
MAE0620	M6 x 20	20	200	2.400
MAE0630	M6 x 30	30	200	1.600
MAE0825	M8 x 25	25	200	1.600
MAE1030	M10 x 30	30	150	900
MAE1235	M12 x 35	35	100	600
MAE1650	M16 x 50	50	50	100
MAE2060	M20 x 60	60	25	-



Blister



CODE	SIZE	PCS.	BAGS
BZMAE0630	M6 x 30	6	15
BZMAE0825	M8 x 25	6	15
BZMAE1030	M10 x 30	4	15

CODE	SIZE	PCS.	BOXES
VMAE0630	M6 x 30	20	8
VMAE0825	M8 x 25	20	8
VMAE1030	M10 x 30	15	8

MAHE

Coupling nut. Hexagonal. Zinc-plated



CODE	SIZE	LENGTH		
MAR5322	5/32W x 20	20	200	4.800
MAR0420	M4 x 20	20	200	4.800
MAR0620	M6 x 20	20	200	2.400
MAR0630	M6 x 30	30	200	1.600
MAR0825	M8 x 25	25	200	2.400
MAR0830	M8 x 30	30	200	1.600
MAR1030	M10 x 30	30	150	900
MAR1235	M12 x 35	35	100	600
MAR1650	M16 x 50	50	50	300



CODE	SIZE	PCS.	BOXES
VMAR0420	M4 x 20	25	8
VMAR0630	M6 x 30	20	8
VMAR0830	M8 x 30	20	8
VMAR1030	M10 x 30	15	8

MARE

Coupling nut. Round. Zinc-plated



CODE	SIZE	LENGTH	
MARIO830	M8 x 30	30	100
MARIO1030	M10 x 30	30	100

MARI

Coupling nut. Round. A2 Stainless steel



CODE	SIZE	LENGTH		
MAMH0610	M6 x 10	10	100	3.000
MAMH0620	M6 x 20	20	100	1.200
MAMH0630	M6 x 30	30	100	1.200
MAMH0640	M6 x 40	40	100	1.000
MAMH0650	M6 x 50	50	50	1.000

MA-MH NEW

Spacer nut Male/Female



SU Steel beam clamps

SU-MO

Beam clamp



CODE	SIZE	MAX. WIDTH TO BEAM		
SUMOP09	Ø9 DRILLED	20	50	150
SUMOP11	Ø11 DRILLED	20	50	150
SUMOP13	Ø13 DRILLED	25	50	100
SUMOM06	NEW THREADED M6	20	50	200
SUMOM08	THREADED M8	20	50	200
SUMOM10	THREADED M10	20	50	150
SUMOM12	THREADED M12	25	50	-




SU-CL

Suspension clip



CODE	SIZE	MIN. BEAM LENGTH	BEAM THICKNESS		
SUCL02	6.3	14	1,5 - 4	100	1.200
SUCL04	6.3	23	4 - 10	100	400
SUCL10	6.3	23	10 - 15	100	300
SUCL15	6.3	23	15 - 20	100	300




SU-VA

Rod clip



CODE	SIZE	MIN. BEAM LENGTH	BEAM THICKNESS		
SUVA0602	M 6	14	1,5 - 4	100	300
SUVA0604	M 6	23	4 - 10	100	200
SUVA0610	M 6	23	10 - 15	100	-
SUVA0615	M 6	23	15 - 20	100	-
SUVA0804	M 8	14	1,5 - 4	100	200
SUVA0810	M 8	23	4 - 10	100	200
SUVA0815	M 8	23	10 - 15	100	-
SUVA0802	M 8	23	15 - 20	100	300




SU-CU

Holder clip



CODE	SIZE	BEAM THICKNESS		
SUCU0602	M 6	1,5 - 5	100	300
SUCU0605	M 6	5 - 7	100	300
SUCU0606	M 6	3 - 7	100	200
SUCU0607	M 6	7 - 10	100	200



Bits

PU

METAL



PU-PH

PH



CODE		LENGTH		
PUPHC01	PH1	25	25	1.125
PUPHC02	PH2	25	25	1.125
PUPHC03	PH3	25	25	1.125
PUPHL01	PH1	50	25	1.125
PUPHL02	PH2	50	25	1.125
PUPHL03	PH3	50	25	1.125



Blister

CODE	SIZE	PCS. 	BAGS
BZPUPHCL01	N°1 / 50	4	20
BZPUPHCL02	N°2 / 50	4	20
BZPUPHCL03	N°3 / 50	4	20

Hexagonal nut

DIN-934

METAL



CODE	SIZE	INSTALLATION KEY		
D93403	NEW M3	5,5	500	22.500
D93404	M4	7	1.000	45.000
D93405	M5	8	500	12.000
D93406	M6	10	500	12.000
D93408	M8	13	250	6.000
D93410	M10	17	250	3.000
D93412	M12	19	250	1.500
D93414	M14	22	100	1.200
D93416	M16	24	100	600
D93418	M18	27	100	600
D93420	M20	30	50	600
D93422	M22	32	50	300
D93424	M24	36	25	300
D93427	M27	41	25	150
D93430	M30	46	25	150
D93433	M33	50	10	120
D93436	M36	55	10	60



Available in different coatings.
Ask for price and delivery time.



Blister



Window Box

CODE	SIZE	PCS. 	BAGS 	CODE	SIZE	PCS. 	BOXES
BZ934ZM03	M3	40	20	VD93403	M3	150	8
BZ934ZM04	M4	40	20	VD93404	M4	150	8
BZ934ZM05	M5	40	20	VD93405	M5	100	8
BZ934ZM06	M6	20	20	VD93406	M6	100	8
BZ934ZM08	M8	10	20	VD93408	M8	50	8
BZ934ZM10	M10	10	15	VD93410	M10	30	8
BZ934ZM12	M12	6	15	VD93412	M12	20	8

DIN-125

Plain washer



Available in different coatings.
Ask for price and delivery time.

CODE	SIZE		
D12503	M3	1.000	45.000
D12504	M4	1.000	45.000
D12505	M5	1.000	45.000
D12506	M6	500	22.500
D12508	M8	250	11.250
D12510	M10	250	6.000
D12512	M12	250	3.000
D12514	M14	200	2.400
D12516	M16	100	2.400
D12518	M18	100	2.400
D12520	M20	50	1.200
D12522	M22	50	1.200
D12524	M24	50	600
D12527	M27	50	600
D12530	M30	50	300
D12533	M33	50	300
D12536	M36	25	300



Blister



Window Box

CODE	SIZE	PCS.	BAGS
BZ125ZM03	M3	40	20
BZ125ZM04	M4	40	20
BZ125ZM05	M5	40	20
BZ125ZM06	M6	20	20
BZ125ZM08	M8	10	20
BZ125ZM10	M10	10	20
BZ125ZM12	M12	6	20

CODE	SIZE	PCS.	BOXES
VD12503	M3	200	8
VD12504	M4	200	8
VD12505	M5	150	8
VD12506	M6	100	8
VD12508	M8	75	8
VD12510	M10	75	8
VD12512	M12	50	8

DIN-9021

Wide plain washer



Available in different coatings.
Ask for price and delivery time.

CODE	SIZE		
D902103	M3	500	22.500
D902104	M4	500	12.000
D902105	M5	500	12.000
D902106	M6	500	12.000
D902108	M8	200	4.800
D902110	M10	100	2.400
D902112	M12	100	1.200
D902114	M14	100	1.200
D902116	M16	50	600
D902118	M18	50	600
D902120	M20	25	300
D902122	M22	25	300
D902124	M24	25	150



Blister



Window Box

CODE	SIZE	PCS.	BAGS
BZ902103	M3	20	20
BZ902104	M4	20	20
BZ902105	M5	20	20
BZ902106	M6	10	20
BZ902108	M8	5	20
BZ902110	M10	5	20
BZ902112	M12	5	20

CODE	SIZE	PCS.	BOXES
VD902103	M3	125	8
VD902104	M4	125	8
VD902105	M5	125	8
VD902106	M6	100	8
VD902108	M8	50	8
VD902110	M10	30	8
VD902112	M12	15	8

A
PERFECT
FIXING

CATPLAEN21



Técnicas Expansivas S.L.
P. I. La Portalada II, C/ Segador, 13
26006 · Logroño (La Rioja) · SPAIN

T. (+34) 941.272.131 · E. info@indexfix.com
www.indexfix.com